


Spring Plungers with ball & slot - headed

Spring Plunger & Detent Pins





Material

Free cutting steel type-

Body: free cutting steel, blackened. Ball: ball bearing steel 1.3505 (100Cr6), hardened.

Spring: stainless steel.

Stainless steel type-

Body: stainless steel 1.4305 (AISI 303). Ball: stainless steel 1.3505 (100Cr6),

hardened.

Spring: stainless steel. For calculation of indexing resistance please refer to appendix - Technical Data.

Technical Notes

Max. temperature 250°C. Spring loads = statistical average. For M4 and M5 threads dimension l_3 is max. screw in depth, i.e. there is no undercut. For calculation of indexing resistance please refer to spring plunger technical pages.

Important Notes

All metric Wixroyd spring plungers have a coarse thread, see appendix five for thread details.

Order No.	Material	d_1	d ₂	d ₃	I_1	l ₂	l ₃	Spring load F_1 N	Spring load F ₂ N ≈	Stroke s ₁	w_1	Weight g
31400.W0940	Stainless	M 4	2.5	6	9.5	6.5	5.0	8	14	0.8	0.6	1.2
31400.W0941	Stainless	M 5	3.0	8	12.5	8.5	6.7	8	14	0.9	0.8	2.4
31400.W0942	Stainless	Μ6	3.5	10	14.0	9.0	-	11	18	1.0	1.0	3.9
31400.W0943	Stainless	M 8	4.5	13	16.5	11.0	-	18	31	1.5	1.2	7.9
31400.W0944	Stainless	M10	6.0	16	20.0	14.0	-	24	45	2.0	1.5	14.0
31400.W0945	Stainless	M12	8.0	18	22.0	15.0	-	26	49	2.5	2.0	20.0
31400.W0930	Steel	M 4	2.5	6	9.5	6.5	5.0	8	14	0.8	0.6	1.2
31400.W0931	Steel	M 5	3.0	8	12.5	8.5	6.7	8	14	0.9	0.8	2.4
31400.W0932	Steel	Μ6	3.5	10	14.0	9.0	-	11	18	1.0	1.0	3.9
31400.W0933	Steel	M 8	4.5	13	16.5	11.0	-	18	31	1.5	1.2	7.9
31400.W0934	Steel	M10	6.0	16	20.0	14.0	-	24	45	2.0	1.5	14.0
31400.W0935	Steel	M12	8.0	18	22.0	15.0	-	26	49	2.5	2.0	20.0
















Wixroyd Spring Plungers - A Range of Endless Possibilities



Three push-fit spring plungers no. 32000 have been added to the design of this recessed commercial light fitting. The push-fit design of the plunger makes for easy assembly during production. Their use greatly simplifies the mounting and servicing of the units, reducing handling costs and saving valuable operator time.

Used in conjunction with a simple hinge, Wixroyd spring plunger 32300 provides an easy and secure means to positively position and secure the back panel of a blood gas analysis machine. With both brass and stainless steel varieties, our spring plungers have a wide range of application in the medical, pharmaceutical, food and drink processing industries.



Commercial Lighting

Medical Applications

Applications

Uses

- For location, applying pressure and "lifting off".
- Securing and positioning. •


N ESSENTRA COMPAN

- Positive locking and indexing. •
- Quick release.

Industry Sectors

- Machine and fixture design.
- Measuring equipment.
- Electronic components.
- Lighting equipment.
- Medical, optics and orthopaedics.

Wixroyd Spring Plungers - Uses and Mounting Options



Positioning **Elements**

Wixroyd Spring Plungers

quality products



Quality products every time

100% Testing

- Every spring plunger that is produced on the Wixroyd assembly line is individually tested. That is how we guarantee the quality of our products.
- A Wixroyd spring plunger is tested against four key criteria during manufacture.

Accuracy of 'S' Stroke/ **Spring Range**


Accuracy of f₁ and f₂ Spring Forces



Stroke Length


Start: 0 Finish: 0,8 Total Stroke S = 0,8

Accuracy of **Ball Diameter**



Accuracy of Thread

Wixroyd an essentra company





ov-W31400-A-T-W32420-A-T-b-lnh - Updated - 27-10-2022

wixroyd.com



Wixroyd Spring Plungers





ISO metric coarse threads (mm)								Thread Details									
Thread (D) Pitch	3 0,5	3,5 0,6	4 0,7	4,5 0,75	5 0,8	6 1,0	7 1,0	8 1,25	10 1,5	12 1,75	14 2,00	16 2,0	18 2,5	20 2,5	22 2,5	24 3,0	All Wixroyd metric spring plungers have a coarse thread
Stroke, or pin.	or mo	veme	nt of	plunge	er's ba	all		f ₁						0			Spring Loads
The forc come th achieve ball or p	e stat initia	tic stro	ength	ofthe	e sprir	ng and		f ₂	6		s		Meese				
The forc compres fully de	ss the	sprin	g unt	il the l	ball o	r pin i		000	NO VAR				100				
lthough de f applicatio ble to give elating to t pring repet pring plun 100% or approx. 65% of s 10,000,0	on spe the fo he ma citions gers. full st 300,0 croke	ecific f bllowi aximu s or cy croke ' 000 cy "s" us	actor ng gu m nui vcles c "s" us cles.	rs, we a nide mber o of our sed:	are	Spring Cycles/Repo	,00		ea of c ring lif	optimis ^j e	ed		dii sp 65	ea of minishe ring life	e		Typical Spring Repetitions
		α					/e are	able to	provid	e the fo	ollowing	g formu					Calculating
K				Fx a 2	-	th in	e pull dexing Fx =	or push g counte F tan2	i force erpart.	(N) rec Fx	quired t = pul = plu (se = ang	o 'relea or puangers a e relev	ase' a l sh forc spring rant pro	oall plu e (N)	nger fr		Indexing Resistance
	F	V				F	or Spri	i mple: ing plun I (see p			0010;						
Importar an approx more acc roughnes	kimat urate is of t	tion fo calcu the co	ormu Ilatio unte	la. Fo on the rpart			α = 9(κ = ta)° 24 an <u>90</u> 2	= 24	4N			= 60° 24 tan	60 2	= 41,5	N	
surface a the plung age or hig be consid	jers s gh rej	pring petiti	forc	e(due	to		α = 12 κ = ta	$\frac{20^{\circ}}{24}$ an $\frac{120}{2}$	= 13	3,8N							
/e are ofter o provide a ecommend nake your o	ny rel you s	iable tudy t	inforı :he sp	matior ecific	ı relat mater	ed to ial pro	this a	is ther ies of t	e are che sp	many pring p	factor olunge	s in a r's co	n app	licatio	n.We		Electrical Conductivity
lanufacturi				ur spee dy or p													Specials to Your Own Design



For further information, or to request a quotation, please call our sales office on 0333 207 4497.

Wixroyd AN ESSENTRA COMPANY

low as 1,000 units.