


One-Touch Fastener - Ball Locking

quarter turn lock - t-handle grip - stainless steel

One Touch Fasteners



Material

Body & shank: stainless steel. Knob: stainless steel. Ball & spring: stainless steel.

Technical Notes

One-touch fasteners are the ideal solution for applications requiring rapid and recurring change over of tooling or set ups. Use in applications as diverse as bottling processes, machine covers, changing of cogs and drive belts. One-touch fasteners provide a quick, simple and secure change over solution - no time wasted in unfastening screws or other permanent fixings, and no opportunity for lost fixings in your machinery.

Important Notes

Suitable for panels/enclosures of 6 to 20mm thickness.

For locating bushes see part no. 33920. Quarter turn handle, easy-to-read on/off position of the one-touch fastener for increased security. Temperature resistant to 180°C.


Actuation:

-Turn handle to off position: locking balls retract and are held in retracted position via notched catch.

-Pass fastener through panel.

-Turn handle 45° to on position: locking balls engage with locating bush, panels are securely fastened.

Order No.	For single panel thickness	d ₁ -0.05 -0.10	d ₂ tol. h9	d ₃	d ₄	d_5	h ₁	h ₂	I_1	m	Clamping force N	Weight g
33918.W1006	3-10	6	14	25	25	21	24.5	6.5	19.5	M 2x0,4	30	50
33918.W1410	3-14	10	18	34	34	28	31.0	10.0	21.5	M 3x0,5	50	120
33918.W2010	12-20	10	18	34	34	28	31.0	10.0	27.5	M 3x0,5	50	130








One-Touch Fasteners for Frequent Set-Ups



One-Touch Fasteners - Alternatives to Screws



Easy & Secure! For Quick Changeover with No Tools!





wixroyd.com




One-Touch Fasteners

quick-easy-secure



One-Touch Change Over








One-Touch Fastener - Ball Locking

technical information





wixroyd.com

during clamping the tapered pin pushes out the ball bearing, into the recessed holes of the reciever, securely clamping the two surfaces together

